

INDEXES

1998 SUBJECT INDEX

Activated carbon

- ¹⁴C-MIB Adsorption on PAC in Natural Water
Thomas E.T. Gillogly, Vernon L. Snoeyink, Joseph R. Elarde, Claude M. Wilson, and Earl P. Royal90:1:98
- Technical Note: Adsorption Capacity of GAC for Synthetic Organics
Thomas F. Speth and Richard J. Milmer90:4:171
- TCE Adsorption by GAC Preloaded With Humic Substances
James E. Kilduff, Tanju Karanfil, and Walter J. Weber Jr.90:5:76
- Optimizing EC With PAC Addition: A Case Study
Issam Najm, Carol Tate, and Douglas Selby90:10:88
- Using PAC-UF to Treat a Low-quality Surface Water
Anne M. Jack and Mark M. Clark90:11:83

Aeration

- Using Aeration for Corrosion Control
Darren A. Lytle, Michael R. Schock, Jonathan A. Clement, and Catherine M. Spencer90:3:74
 (See also: Erratum90:5:4 and 90:9:4)

Analytical methods

- Considerations in As Analysis and Speciation
Marc Edwards, Sapna Patel, Laurie McNeill, Hsiao-wen Chen, Michelle Frey, Andrew D. Eaton, Ronald C. Antweiler, and Howard E. Taylor90:3:103
- Analyzing HAAs and Ketoacids Without Diazomethane
Yuefeng Xie, David A. Reckhow, and Denise C. Springborg90:4:131

Arsenic

- Cost to Utilities of a Lower MCL for Arsenic
Michelle M. Frey, Douglas M. Owen, Zaid K. Chowdhury, Robert S. Raucher, and Marc A. Edwards90:3:89
- Considerations in As Analysis and Speciation
Marc Edwards, Sapna Patel, Laurie McNeill, Hsiao-wen Chen, Michelle Frey, Andrew D. Eaton, Ronald C. Antweiler, and Howard E. Taylor90:3:103

Atrazine

- Agricultural Chemicals: Effects on Wells During Floods
Chittaranjan Ray, T.W. David Soong, George S. Roadcap, and Deva K. Borah90:7:90

AWWA

- Building on AWWA's Strengths
Face to Face with Rod Holme90:6:20
- QualServe Pilots Program for Mid-size Systems
Face to Face with Aurel Arndt and Dean Moss90:11:22

Benchmarking

- Metric Benchmarking
Linda Blankenship, Myron Olstein, and Barry Liner90:6:57

Biological processes

- Deposition and Retention of Bacteria in Backwashed Filters
Raymond M. Hozalski and Edward J. Bouwer90:1:71
- Backwashing First-stage Sand-BAC Filters
Patrick Niquette, Michèle Prévost, Robert G. Maclean, Daniel Thibault, Josée Coallier, Raymond Desjardins, and Pierre Lafrance90:1:86
- Sulfide-oxidizing Bacteria: Their Role During Air-stripping
Michael J. Dell'Orco, Paul A. Chadik, Gabriel Britton, and R.P. Neumann90:10:107
- BOM Removal During Biofiltration
Kenneth H. Carlson and Gary L. Amy90:12:42
- Shutdown of BAC Filters: Effects on Water Quality
Patrick Niquette, Michèle Prévost, Pierre Servais, Jean-François Beaudet, Josée Coallier, and Pierre Lafrance90:12:53
- Effects of Backwashing on Biological Filters
Rasheed Ahmad, A. Amirtharajah, A. Al-Shawwa, and Peter M. Huck90:12:62
- Detachment of Particles During Biofilter Backwashing
Rasheed Ahmad and A. Amirtharajah90:12:74

Chemical equilibrium calculations

- Spreadsheet Water Conditioning
R. Rhodes Trussell90:6:70
- Computing SI and CCPP Using Spreadsheet Programs
Thomas R. Holm and Michael R. Schock90:7:80

Chloramines

- Controlling DBPs With Monochloramine
Mark Carlson and Douglas Hardy90:2:95

Clearwells

- Using Hydraulic Modeling to Optimize Contact Time
Imad A. Hannoun, Paul F. Boulos, and E. John List90:8:77

Coagulation

- Removing Particles and THM Precursors by Enhanced Coagulation
Eric M. Vrijenhoek, Amy E. Childress, Menachem Elimelech, Theodore S. Tanaka, and Mark D. Beuhler90:4:139
- Dewaterability of Alum and Ferric Coagulation Sludges
Phillip L. Thompson and Wayne L. Paulson90:4:164
- Combined Adsorption-UF Process Increases TOC Removal
Yu-Jung Chang, Kwang-Ho Choo, Mark M. Benjamin, and Steve Reiber90:5:90
 (See also: Erratum90:12:4)
- Optimizing EC With PAC Addition: A Case Study
Issam Najm, Carol Tate, and Douglas Selby90:10:88
- Dynamic Analysis of Coagulation With Alum and PACI
Yoshihiko Matsui, Akira Yuasa, Yuji Furuya, and Tasuku Kamei90:10:96

INDEXES

1998 SUBJECT INDEX

Activated carbon

- ¹⁴C-MIB Adsorption on PAC in Natural Water
Thomas E.T. Gillogly, Vernon L. Snoeyink, Joseph R. Elarde, Claude M. Wilson, and Earl P. Royal90:1:98
- Technical Note: Adsorption Capacity of GAC for Synthetic Organics
Thomas F. Speth and Richard J. Milmer90:4:171
- TCE Adsorption by GAC Preloaded With Humic Substances
James E. Kilduff, Tanju Karanfil, and Walter J. Weber Jr.90:5:76
- Optimizing EC With PAC Addition: A Case Study
Issam Najm, Carol Tate, and Douglas Selby90:10:88
- Using PAC-UF to Treat a Low-quality Surface Water
Anne M. Jack and Mark M. Clark90:11:83

Aeration

- Using Aeration for Corrosion Control
Darren A. Lytle, Michael R. Schock, Jonathan A. Clement, and Catherine M. Spencer90:3:74
 (See also: Erratum90:5:4 and 90:9:4)

Analytical methods

- Considerations in As Analysis and Speciation
Marc Edwards, Sapna Patel, Laurie McNeill, Hsiao-wen Chen, Michelle Frey, Andrew D. Eaton, Ronald C. Antweiler, and Howard E. Taylor90:3:103
- Analyzing HAAs and Ketoacids Without Diazomethane
Yuefeng Xie, David A. Reckhow, and Denise C. Springborg90:4:131

Arsenic

- Cost to Utilities of a Lower MCL for Arsenic
Michelle M. Frey, Douglas M. Owen, Zaid K. Chowdhury, Robert S. Raucher, and Marc A. Edwards90:3:89
- Considerations in As Analysis and Speciation
Marc Edwards, Sapna Patel, Laurie McNeill, Hsiao-wen Chen, Michelle Frey, Andrew D. Eaton, Ronald C. Antweiler, and Howard E. Taylor90:3:103

Atrazine

- Agricultural Chemicals: Effects on Wells During Floods
Chittaranjan Ray, T.W. David Soong, George S. Roadcap, and Deva K. Borah90:7:90

AWWA

- Building on AWWA's Strengths
Face to Face with Rod Holme90:6:20
- QualServe Pilots Program for Mid-size Systems
Face to Face with Aurel Arndt and Dean Moss90:11:22

Benchmarking

- Metric Benchmarking
Linda Blankenship, Myron Olstein, and Barry Liner90:6:57

Biological processes

- Deposition and Retention of Bacteria in Backwashed Filters
Raymond M. Hozalski and Edward J. Bouwer90:1:71
- Backwashing First-stage Sand-BAC Filters
Patrick Niquette, Michèle Prévost, Robert G. Maclean, Daniel Thibault, Josée Coallier, Raymond Desjardins, and Pierre Lafrance90:1:86
- Sulfide-oxidizing Bacteria: Their Role During Air-stripping
Michael J. Dell'Orco, Paul A. Chadik, Gabriel Britton, and R.P. Neumann90:10:107
- BOM Removal During Biofiltration
Kenneth H. Carlson and Gary L. Amy90:12:42
- Shutdown of BAC Filters: Effects on Water Quality
Patrick Niquette, Michèle Prévost, Pierre Servais, Jean-François Beaudet, Josée Coallier, and Pierre Lafrance90:12:53
- Effects of Backwashing on Biological Filters
Rasheed Ahmad, A. Amirtharajah, A. Al-Shawwa, and Peter M. Huck90:12:62
- Detachment of Particles During Biofilter Backwashing
Rasheed Ahmad and A. Amirtharajah90:12:74

Chemical equilibrium calculations

- Spreadsheet Water Conditioning
R. Rhodes Trussell90:6:70
- Computing SI and CCPP Using Spreadsheet Programs
Thomas R. Holm and Michael R. Schock90:7:80

Chloramines

- Controlling DBPs With Monochloramine
Mark Carlson and Douglas Hardy90:2:95

Clearwells

- Using Hydraulic Modeling to Optimize Contact Time
Imad A. Hannoun, Paul F. Boulos, and E. John List90:8:77

Coagulation

- Removing Particles and THM Precursors by Enhanced Coagulation
Eric M. Vrijenhoek, Amy E. Childress, Menachem Elimelech, Theodore S. Tanaka, and Mark D. Beuhler90:4:139
- Dewaterability of Alum and Ferric Coagulation Sludges
Phillip L. Thompson and Wayne L. Paulson90:4:164
- Combined Adsorption-UF Process Increases TOC Removal
Yu-Jung Chang, Kwang-Ho Choo, Mark M. Benjamin, and Steve Reiber90:5:90
 (See also: Erratum90:12:4)
- Optimizing EC With PAC Addition: A Case Study
Issam Najm, Carol Tate, and Douglas Selby90:10:88
- Dynamic Analysis of Coagulation With Alum and PACI
Yoshihiko Matsui, Akira Yuasa, Yuji Furuya, and Tasuku Kamei90:10:96

Committee reports

- Committee Report: Membrane Processes
AWWA Membrane Technology Research
Committee90:6:91
- Committee Report: Gasket Materials
AWWA Committee on Gasket Materials for Water Works
Service90:11:114

Conservation

- Conservation Rates in the Real World
Thomas W. Chesnutt and Janice A. Beecher90:2:60
- Working With the USDA to Protect Source Water
Dan W. Pedersen, J. Preston Luitweiler, and
Marcia Torobin90:3:51
- Water Conservation Guidelines and the DWSRF
Janice A. Beecher, John E. Flowers, and
Charles S. Matzke90:5:60

Consumer confidence reports

- Consumer Confidence Reports: Challenge
and Opportunity
Roundtable90:1:30
- Water Quality Reports Boost Consumer
Confidence
Charles G. Jordan90:1:40
- Complying With USEPA's Consumer Confidence
Report Rule
Frederick W. Pontius90:11:20

Corrosion

- Using Aeration for Corrosion Control
Darren A. Lytle, Michael R. Schock, Jonathan A. Clement,
and Catherine M. Spencer90:3:74
(See also: Erratum90:5:4 and 90:9:4)
- Electrical Grounding, Pipe Integrity, and Shock
Hazard
Steven J. Duranceau, Melvin J. Schiff, and
Graham E.C. Bell90:7:40
- Sulfide-induced Copper Corrosion
Sara Jacobs, Steve Reiber, and Marc Edwards90:7:62

Cryptosporidium

- Communicating ICR Data on Cryptosporidium
Frederick W. Pontius90:2:20
- Viewpoint: Seroepidemiology—The Key to Crypto
Surveillance
Jeffrey K. Griffiths and Robert D. Morris90:3:8
- Crypto and Giardia in US Groundwater
Carrie M. Hancock, Joan B. Rose, and
Michael Callahan90:3:58
- Effect of Rainfall on Crypto and Giardia
Thomas B. Atherholt, Mark W. LeChevallier,
William D. Norton, and Jeffrey S. Rosen90:9:66
- Waterborne Outbreaks of Cryptosporidiosis
Gunther F. Craun, Stephen A. Hubbs, Floyd Frost,
Rebecca Calderon, and Steve Via90:9:81
- UV Light Inactivation of Cryptosporidium Oocysts
Jennifer L. Clancy, Thomas M. Hargy, Marilyn M.
Marshall,
and John E. Dyksen90:9:92
- Advanced UV Light for Inactivating Cryptosporidium
Oocysts
John E. Dyksen, Marilyn M. Marshall, Arun Gera, and
Jennifer L. Clancy90:9:103

Disinfectants

- NOM's Role in Bromine and Bromate Formation During
Ozonation
Paul Westerhoff, Rengao Song, Gary Amy, and
Roger Minear90:2:82
- Controlling DBPs With Monochloramine
Mark Carlson and Douglas Hardy90:2:95
- Effect of Chlorine on PAC's Ability to Adsorb MIB
Thomas E.T. Gillogly, Vernon L. Snoeyink, Andrea
Holthouse, Claude M. Wilson, and Earl P. Royal ..90:2:107
- Viewpoint: A Balanced View of Chlorine Dioxide
Don J. Gates90:4:8

Disinfection

- UV Disinfection of Small Groundwater Supplies
Marc J. Parrotta and Faysal Bekdash90:2:71
- NOM's Role in Bromine and Bromate Formation During
Ozonation
Paul Westerhoff, Rengao Song, Gary Amy, and
Roger Minear90:2:82
- Controlling DBPs With Monochloramine
Mark Carlson and Douglas Hardy90:2:95
- Effect of Chlorine on PAC's Ability to Adsorb MIB
Thomas E.T. Gillogly, Vernon L. Snoeyink,
Andrea Holthouse, Claude M. Wilson, and
Earl P. Royal90:2:107
- Viewpoint: A Balanced View of Chlorine Dioxide
Don J. Gates90:4:8
- Using Hydraulic Modeling to Optimize Contact Time
Imad A. Hannoun, Paul F. Boulous, and
E. John List90:8:77

Disinfection by-products

- NOM's Role in Bromine and Bromate Formation During
Ozonation
Paul Westerhoff, Rengao Song, Gary Amy,
and Roger Minear90:2:82
- Controlling DBPs With Monochloramine
Mark Carlson and Douglas Hardy90:2:95
- Analyzing HAAs and Ketoacids Without Diazomethane
Yuefeng Xie, David A. Reckhow, and
Denise C. Springborg90:4:131
- Removing Particles and THM Precursors by Enhanced
Coagulation
Eric M. Vrijenhoek, Amy E. Childress, Menachem Elimelech,
Theodore S. Tanaka, and Mark D. Beuhler90:4:139
- Halogenated DBP Concentrations in a Distribution System
Wei Jie Chen and Clifford P. Wiesel90:4:151
- Monitoring DBP Formation With Differential
Spectroscopy
Chi-Wang Li, Gregory V. Korshin, and
Mark M. Benjamin90:8:88

Distribution systems

- Halogenated DBP Concentrations in a Distribution System
Wei Jie Chen and Clifford P. Wiesel90:4:151
- Defining a Safe Level for Copper in Drinking Waters
Frederick W. Pontius90:7:18
- Electrical Grounding, Pipe Integrity, and Shock Hazard
Steven J. Duranceau, Melvin J. Schiff, and
Graham E.C. Bell90:7:40
- Managing Water Supply Infrastructure
Gary A. Burlingame, Jameel Rahman, Edgar Navera,
and John E. Durrant90:7:53

Sulfide-induced Copper Corrosion

- Sara Jacobs, Steve Reiber, and Marc Edwards* 90:7:62
Hypower Valve: A New Application for an Old Device
Wesley P. James 90:7:74
Tokyo's Modern Water System Celebrates its Centennial
Kazunori Kawakita 90:11:60

Drinking Water State Revolving Fund

- State Revolving Fund Outlook
Frederick W. Pontius 90:5:23
Greater Funding Opportunities for Drinking Water Systems
James Bourne and Veronica Blette 90:5:34
Oregon's SDWRLF Gets Under Way
Dave Leland and Doug Wise 90:5:40
SDWA Capacity Development
Peter E. Shanaghan, Ian P. Kline, Janice A. Beecher, and Ralph T. Jones 90:5:51
Water Conservation Guidelines and the DWSRF
Janice A. Beecher, John E. Flowers, and Charles S. Matzke 90:5:60
Water Affordability and the DWSRF
Janice A. Beecher and Peter E. Shanaghan 90:5:68

Energy

- Energy Management Opportunities
Harish Arora and Mark W. LeChevallier 90:2:40
(See also: Erratum 90:4:4)
Energy Deregulation
Roundtable 90:4:26
Hypower Valve: A New Application for an Old Device
Wesley P. James 90:7:74

Enhanced coagulation

- Removing Particles and THM Precursors by Enhanced Coagulation
Eric M. Vrijenhoek, Amy E. Childress, Menachem Elimelech, Theodore S. Tanaka, and Mark D. Beuhler 90:4:139
Combined Adsorption-UF Process Increases TOC Removal
Yu-Jung Chang, Kwang-Ho Choo, Mark M. Benjamin, and Steve Reiber 90:5:90
(See also: Erratum 90:12:4)
Optimizing EC With PAC Addition: A Case Study
Issam Najm, Carol Tate, and Douglas Selby 90:10:88

Errata—1998

- Erratum to: Automatic Meter-reading Is Not Always Economical
Kent D. Bienlien and Larry D. Burns 90:4:4
Erratum to: Energy Management Opportunities
Harish Arora and Mark W. LeChevallier 90:4:4
Erratum to: Using Aeration for Corrosion Control
Darren A. Lytle, Michael R. Schock, Jonathan A. Clement, and Catherine M. Spencer 90:5:4
Erratum to: Complying With Risk Management and Process Safety Rules
Frederick W. Pontius 90:6:18
Erratum to: Using Aeration for Corrosion Control
Darren A. Lytle, Michael R. Schock, Jonathan A. Clement, and Catherine M. Spencer 90:9:4
Erratum to: Combined Adsorption-UF Process Increases TOC Removal
Yu-Jung Chang, Kwang-Ho Choo, Mark M. Benjamin, and Steve Reiber 90:12:4

Face to Face

- Building on AWWA's Strengths
Face to Face with Rod Holme 90:6:20
QualServe Pilots Program for Mid-size Systems
Face to Face with Aurel Arndt and Dean Moss . . . 90:11:22

Filtration

- Deposition and Retention of Bacteria in Backwashed Filters
Raymond M. Hozalski and Edward J. Bouwer . . . 90:1:71
Backwashing First-stage Sand-BAC Filters
Patrick Niquette, Michèle Prévost, Robert G. Maclean, Daniel Thibault, Josée Coallier, Raymond Desjardins, and Pierre Lafrance 90:1:86
ICR Treatment Studies
Steven C. Allgeier, Hiba M. Shukairy, and James J. Westrick 90:11:70
Using PAC-UF to Treat a Low-quality Surface Water
Anne M. Jack and Mark M. Clark 90:11:83
Estimating Costs for Integrated Membrane Systems
Shankararaman Chellam, Christophe A. Serra, and Mark R. Wiesner 90:11:96
Recycling Municipal Wastewater Using a Membrane Bioreactor
Nazim Cicek, Juan P. Franco, Makram T. Suidan, and Vincent Urbain 90:11:105
Tracking Filter Performance With Particle Counting
Erika E. Hargeshimer, J. Laurie Mielke, Phillip Yee, and Tom Elford 90:12:32
BOM Removal During Biofiltration
Kenneth H. Carlson and Gary L. Amy 90:12:42
Shutdown of BAC Filters: Effects on Water Quality
Patrick Niquette, Michèle Prévost, Pierre Servais, Jean-François Beaudet, Josée Coallier, and Pierre Lafrance 90:12:53
Effects of Backwashing on Biological Filters
Rasheed Ahmad, A. Amirtharajah, A. Al-Shawwa, and Peter M. Huck 90:12:62
Detachment of Particles During Biofilter Backwashing
Rasheed Ahmad and A. Amirtharajah 90:12:74

Finance

- Water Affordability and the DWSRF
Janice A. Beecher and Peter E. Shanaghan 90:5:68
Activity-based Costing
John L. Eggers and Charles E. Bangert Jr. 90:6:63

Giardia

- Crypto and Giardia in US Groundwater
Carrie M. Hancock, Joan B. Rose, and Michael Callahan 90:3:58
Effect of Rainfall on Crypto and Giardia
Thomas B. Atherholt, Mark W. LeChevallier, William D. Norton, and Jeffrey S. Rosen 90:9:66

Granular activated carbon

- Technical Note: Adsorption Capacity of GAC for Synthetic Organics
Thomas F. Speth and Richard J. Miltner 90:4:171

| | |
|---|---------|
| TCE Adsorption by GAC Preloaded With Humic Substances <i>James E. Kilduff, Tanju Karanfil, and Walter J. Weber Jr.</i> | 90:5:76 |
|---|---------|

Groundwater

| | |
|---|-----------|
| Crypto and Giardia in US Groundwater <i>Carrie M. Hancock, Joan B. Rose, and Michael Callahan</i> | 90:3:58 |
| Agricultural Chemicals: Effects on Wells During Floods <i>Chittaranjan Ray, T.W. David Soong, George S. Roadcap, and Deva K. Borah</i> | 90:7:90 |
| Best Management Practices to Protect Groundwater Systems <i>Frederick W. Pontius</i> | 90:8:18 |
| Sulfide-oxidizing Bacteria: Their Role During Air-stripping <i>Michael J. Dell'Orco, Paul A. Chadik, Gabriel Britton, and R.P. Neumann</i> | 90:10:107 |

Hydraulic modeling

| | |
|--|---------|
| Using Hydraulic Modeling to Optimize Contact Time <i>Imad A. Hannoun, Paul F. Boulous, and E. John List</i> | 90:8:77 |
|--|---------|

Information Collection Rule

| | |
|---|----------|
| Communicating ICR Data on Cryptosporidium <i>Frederick W. Pontius</i> | 90:2:20 |
| ICR Treatment Studies <i>Steven C. Allgeier, Hiba M. Shukairy, and James J. Westrick</i> | 90:11:70 |

Laboratory methods

| | |
|---|---------|
| Detection Limits of Organic Contaminants in Drinking Water <i>William M. Draper, Jagder S. Dhoot, Joginder S. Dhaliwal, John W. Remoy, S. Kusum Perera, and Frank J. Baumann</i> | 90:6:82 |
|---|---------|

Legionella

| | |
|--|----------|
| Legionella in Water Distribution Systems <i>Yu-sen E. Lin, Radisav D. Vidic, Janet E. Stout, and Victor L. Yu</i> | 90:9:112 |
| Controlling Legionella Using Copper-Silver Ionization <i>Stanley States, John Kuchta, William Young, Louis Conley, John Ge, Michael Costello, John Dowling, and Robert Wadowsky</i> | 90:9:122 |

Legislation/Regulation

| | |
|--|---------|
| Shaping Regulations Through Public Involvement Opportunities <i>Frederick W. Pontius</i> | 90:1:20 |
| Communicating ICR Data on Cryptosporidium <i>Frederick W. Pontius</i> | 90:2:20 |
| Health Advisory Issued for Methyl Tertiary Butyl Ether <i>Frederick W. Pontius</i> | 90:3:17 |
| Drinking Water Contaminant Candidate List Released <i>Frederick W. Pontius and Nancy L. Pontius</i> | 90:4:20 |
| State Revolving Fund Outlook <i>Frederick W. Pontius</i> | 90:5:23 |
| Complying With Risk Management and Process Safety Rules <i>Frederick W. Pontius</i> | 90:6:18 |
| (See also: Erratum) | 90:7:4 |

| | |
|--|----------|
| Defining a Safe Level for Copper in Drinking Waters <i>Frederick W. Pontius</i> | 90:7:18 |
| Best Management Practices to Protect Groundwater Systems <i>Frederick W. Pontius</i> | 90:8:18 |
| Safe Drinking Water January 1, 2000? <i>Frederick W. Pontius</i> | 90:9:16 |
| USEPA Operator Certification Guidelines to Address Key Issues <i>Frederick W. Pontius</i> | 90:10:18 |
| Complying With USEPA's Consumer Confidence Report Rule <i>Frederick W. Pontius</i> | 90:11:20 |
| Defining "Public Water Systems" <i>Frederick W. Pontius</i> | 90:12:22 |

Management and operations

| | |
|--|----------|
| Energy Management Opportunities <i>Harish Arora and Mark W. LeChevallier</i> | 90:2:40 |
| (See also: Erratum) | 90:4:4 |
| Automatic Meter-reading Is Not Always Economical <i>Kent D. Bienlien and Larry D. Burns</i> | 90:2:52 |
| (See also: Erratum and Letters) | 90:4:4 |
| Conservation Rates in the Real World <i>Thomas W. Chesnutt and Janice A. Beecher</i> | 90:2:60 |
| How Safe Is Safe? <i>Roundtable</i> | 90:3:20 |
| Energy Deregulation <i>Roundtable</i> | 90:4:26 |
| Route Restructuring Reduces Meter-reading Costs <i>Kent D. Bienlien, Daniel J. Adams, and Brian S. Cunningham</i> | 90:4:116 |
| Implementing a DBO Project <i>Elizabeth S. Kelly, Scott Haskins, and Paul D. Reiter</i> | 90:6:34 |
| Achieving Competitiveness Through Cultural Change <i>Leah Ash and Melanie J. Rettie</i> | 90:6:47 |
| (See also: Letters) | 90:10:4 |
| Metric Benchmarking <i>Linda Blankenship, Myron Olstein, and Barry Liner</i> | 90:6:57 |
| Activity-based Costing <i>John L. Eggers and Charles E. Bangert Jr.</i> | 90:6:63 |
| Managing Water Supply Infrastructure <i>Gary A. Burlingame, Jameel Rahman, Edgar Navera, and John E. Durrant</i> | 90:7:53 |
| Best Management Practices to Protect Groundwater Systems <i>Frederick W. Pontius</i> | 90:8:18 |
| Risk Management Planning <i>Roundtable</i> | 90:8:24 |
| Blending Supplies for Plant Optimization <i>Susan K. Booth, C.B. Hagar, Eduardo Garaña</i> | 90:8:40 |
| Implementing a Large-meter Replacement Program <i>Matthew J. van der Linden</i> | 90:8:50 |
| Practical Applications of Turbidity Monitoring <i>Gary A. Burlingame, Michael J. Pickel, and Joseph T. Roman</i> | 90:8:57 |
| Small System Maintenance Management Using GIS <i>Martin W. Kaufman and Matthew Wurtz</i> | 90:8:70 |
| Using Hydraulic Modeling to Optimize Contact Time <i>Imad A. Hannoun, Paul F. Boulous, and E. John List</i> | 90:8:77 |

| | |
|---|----------|
| Operator Certification Is Coming of Age | |
| <i>Roundtable</i> | 90:10:28 |
| Using Need-to-know Criteria to Design Training | |
| <i>Fred Delvecchio</i> | 90:10:56 |
| Cross-training Benefits Oregon Plant | |
| <i>Doug Wise</i> | 90:10:60 |
| Pilot-plant Training for High Turbidity | |
| <i>Russell Norton, Chet Auckly, Will Raymond, Scott Benedict, and John Goodwill</i> | 90:10:67 |
| Maryland Program Builds Operator Skills | |
| <i>Joy M. Barrett</i> | 90:10:76 |
| Operator Training: a Step-by-step Approach | |
| <i>Kenneth D. Kerri</i> | 90:10:82 |

Membrane processes

| | |
|---|-----------|
| Combined Adsorption-UF Process Increases TOC Removal | |
| <i>Yu-Jung Chang, Kwang-Ho Choo, Mark M. Benjamin, and Steve Reiber</i> | 90:5:90 |
| (See also: Erratum) | 90:12:4) |
| Committee Report: Membrane Processes | |
| <i>AWWA Membrane Technology Research Committee</i> | 90:6:91 |
| Rejection of MS-2 Virus by RO Membranes | |
| <i>Samer S. Adham, R. Shane Trussell, Paul F. Gagliardo, and R. Rhodes Trussell</i> | 90:9:130 |
| ICR Treatment Studies | |
| <i>Steven C. Allgeier, Hiba M. Shukairy, and James J. Westrick</i> | 90:11:70 |
| Using PAC-UF to Treat a Low-quality Surface Water | |
| <i>Anne M. Jack and Mark M. Clark</i> | 90:11:83 |
| Estimating Costs for Integrated Membrane Systems | |
| <i>Shankaraman Chellam, Christophe A. Serra, and Mark R. Wiesner</i> | 90:11:96 |
| Recycling Municipal Wastewater Using a Membrane Bioreactor | |
| <i>Nazim Cicek, Juan P. Franco, Makram T. Suidan, and Vincent Urbain</i> | 90:11:105 |

Meters

| | |
|---|----------|
| Automatic Meter-reading Is Not Always Economical | |
| <i>Kent D. Bienlien and Larry D. Burns</i> | 90:2:52 |
| (See also: Erratum and Letters) | 90:4:4) |
| Route Restructuring Reduces Meter-reading Costs | |
| <i>Kent D. Bienlien, Daniel J. Adams, and Brian S. Cunningham</i> | 90:4:116 |
| Implementing a Large-meter Replacement Program | |
| <i>Matthew J. van der Linden</i> | 90:8:50 |

Methylisoborneol

| | |
|--|----------|
| ¹⁴ C-MIB Adsorption on PAC in Natural Water | |
| <i>Thomas E.T. Gillogly, Vernon L. Snoeyink, Joseph R. Elarde, Claude M. Wilson, and Earl P. Royal</i> | 90:1:98 |
| Effect of Chlorine on PAC's Ability to Adsorb MIB | |
| <i>Thomas E.T. Gillogly, Vernon L. Snoeyink, Andrea Holthouse, Claude M. Wilson, and Earl P. Royal</i> | 90:2:107 |

Methyl tertiary butyl ether

| | |
|--|---------|
| Health Advisory Issued for Methyl Tertiary Butyl Ether | |
| <i>Frederick W. Pontius</i> | 90:3:17 |

Microorganisms

| | |
|---|---------|
| Communicating ICR Data on Cryptosporidium | |
| <i>Frederick W. Pontius</i> | 90:2:20 |

Viewpoint: Seroepidemiology—The Key to Crypto Surveillance

| | |
|---|----------|
| <i>Jeffrey K. Griffiths and Robert D. Morris</i> | 90:3:8 |
| Crypto and Giardia in US Groundwater | |
| <i>Carrie M. Hancock, Joan B. Rose, and Michael Callahan</i> | 90:3:58 |
| Effect of Rainfall on Crypto and Giardia | |
| <i>Thomas B. Atherholt, Mark W. LeChevallier, William D. Norton, and Jeffrey S. Rosen</i> | 90:9:66 |
| Waterborne Outbreaks of Cryptosporidiosis | |
| <i>Gunther F. Craun, Stephen A. Hubbs, Floyd Frost, Rebecca Calderon, and Steve Via</i> | 90:9:81 |
| UV Light Inactivation of Cryptosporidium Oocysts | |
| <i>Jennifer L. Clancy, Thomas M. Hargy, Marilyn M. Marshall, and John E. Dyksen</i> | 90:9:92 |
| Advanced UV Light for Inactivating Cryptosporidium Oocysts | |
| <i>John E. Dyksen, Marilyn M. Marshall, Arun Gera, and Jennifer L. Clancy</i> | 90:9:103 |
| Legionella in Water Distribution Systems | |
| <i>Yu-sen E. Lin, Radisav D. Vidic, Janet E. Stout, and Victor L. Yu</i> | 90:9:112 |
| Controlling Legionella Using Copper-Silver Ionization | |
| <i>Stanley States, John Kuchta, William Young, Louis Conley, John Ge, Michael Costello, John Dowling, and Robert Wadowsky</i> | 90:9:122 |

Operators

| | |
|---|----------|
| USEPA Operator Certification Guidelines to Address Key Issues | |
| <i>Frederick W. Pontius</i> | 90:10:18 |
| Operator Certification Is Coming of Age | |
| <i>Roundtable</i> | 90:10:28 |
| Using Need-to-know Criteria to Design Training | |
| <i>Fred Delvecchio</i> | 90:10:56 |
| Cross-training Benefits Oregon Plant | |
| <i>Doug Wise</i> | 90:10:60 |
| Pilot-plant Training for High Turbidity | |
| <i>Russell Norton, Chet Auckly, Will Raymond, Scott Benedict, and John Goodwill</i> | 90:10:67 |
| Maryland Program Builds Operator Skills | |
| <i>Joy M. Barrett</i> | 90:10:76 |
| Operator Training: a Step-by-step Approach | |
| <i>Kenneth D. Kerri</i> | 90:10:82 |

Ozone

| | |
|---|---------|
| NOM's Role in Bromine and Bromate Formation During Ozonation | |
| <i>Paul Westerhoff, Rengao Song, Gary Amy, and Roger Minear</i> | 90:2:82 |

Pipes

| | |
|--|--------------------|
| Leachability of Regulated Metals From Cement-Mortar Linings | |
| <i>Qizhong Guo, Parvati J. Toomuluri, and James O. Eckert Jr.</i> | 90:3:62 |
| (See also: Letters) | 90:6:4 and 90:8:4) |
| Electrical Grounding, Pipe Integrity, and Shock Hazard | |
| <i>Steven J. Duranceau, Melvin J. Schiff, and Graham E.C. Bell</i> | 90:7:40 |

Powdered activated carbon

| | |
|--|---------|
| ¹⁴ C-MIB Adsorption on PAC in Natural Water | |
| <i>Thomas E.T. Gillogly, Vernon L. Snoeyink, Joseph R. Elarde, Claude M. Wilson, and Earl P. Royal</i> | 90:1:98 |

| | |
|--|----------|
| Effect of Chlorine on PAC's Ability to Adsorb MIB | |
| <i>Thomas E.T. Gillogly, Vernon L. Snoeyink, Andrea Holthouse, Claude M. Wilson, and Earl P. Royal</i> | 90:2:107 |
| Optimizing EC With PAC Addition: A Case Study | |
| <i>Issam Najm, Carol Tate, and Douglas Selby</i> | 90:10:88 |
| Using PAC-UF to Treat a Low-quality Surface Water | |
| <i>Anne M. Jack and Mark M. Clark</i> | 90:11:83 |

Public involvement

| | |
|--|---------|
| Shaping Regulations Through Public Involvement Opportunities | |
| <i>Frederick W. Pontius</i> | 90:1:20 |
| Consumer Confidence Reports: Challenge and Opportunity | |
| <i>Roundtable</i> | 90:1:30 |
| Water Quality Reports Boost Consumer Confidence | |
| <i>Charles G. Jordan</i> | 90:1:40 |
| Public Affairs and the Consumer Landscape | |
| <i>John M. Baron</i> | 90:1:44 |
| Bubbling to the Surface: Public Water Supply Issues | |
| <i>Bojinka Bishop</i> | 90:1:49 |
| Public Affairs Step by Step | |
| <i>Linda Faulkner-Vaughn</i> | 90:1:55 |
| Assessing the Value of Youth Education | |
| <i>Kenneth W. Mirvis and Neil Clark</i> | 90:1:64 |

Pumping

| | |
|--|---------|
| Energy Management Opportunities | |
| <i>Harish Arora and Mark W. LeChevallier</i> | 90:2:40 |
| (See also: Erratum) | 90:4:4) |

QualServe

| | |
|--|----------|
| QualServe Pilots Program for Mid-size Systems | |
| <i>Face to Face with Aurel Arndt and Dean Moss</i> | 90:11:22 |

Regulations

| | |
|---|---------|
| Shaping Regulations Through Public Involvement Opportunities | |
| <i>Frederick W. Pontius</i> | 90:1:20 |
| Communicating ICR Data on Cryptosporidium | |
| <i>Frederick W. Pontius</i> | 90:2:20 |
| Health Advisory Issued for Methyl Tertiary Butyl Ether | |
| <i>Frederick W. Pontius</i> | 90:3:17 |
| New Horizons in Federal Regulation | |
| <i>Frederick W. Pontius</i> | 90:3:38 |
| Working With the USDA to Protect Source Water | |
| <i>Dan W. Pedersen, J. Preston Luitweiler, and Marcia Torobin</i> | 90:3:51 |
| Cost to Utilities of a Lower MCL for Arsenic | |
| <i>Michelle M. Frey, Douglas M. Owen, Zaid K. Chowdhury, Robert S. Raucher, and Marc A. Edwards</i> | 90:3:89 |
| Drinking Water Contaminant Candidate List Released | |
| <i>Frederick W. Pontius and Nancy L. Pontius</i> | 90:4:20 |
| Viewpoint: What Is Good Science? | |
| <i>Alan Roberson</i> | 90:5:8 |
| State Revolving Fund Outlook | |
| <i>Frederick W. Pontius</i> | 90:5:23 |
| Greater Funding Opportunities for Drinking Water Systems | |
| <i>James Bourne and Veronica Blette</i> | 90:5:34 |
| Oregon's SDWRLF Gets Under Way | |
| <i>Dave Leland and Doug Wise</i> | 90:5:40 |

SDWA Capacity Development

| | |
|--|----------|
| <i>Peter E. Shanaghan, Ian P. Kline, Janice A. Beecher, and Ralph T. Jones</i> | 90:5:51 |
| Viewpoint: The Spanish Armada—A Different View | |
| <i>Cynthia C. Dougherty</i> | 90:6:8 |
| Complying With Risk Management and Process Safety Rules | |
| <i>Frederick W. Pontius</i> | 90:6:18 |
| (See also: Erratum) | 90:7:4) |
| Defining a Safe Level for Copper in Drinking Waters | |
| <i>Frederick W. Pontius</i> | 90:7:18 |
| Best Management Practices to Protect Groundwater Systems | |
| <i>Frederick W. Pontius</i> | 90:8:18 |
| Safe Drinking Water January 1, 2000? | |
| <i>Frederick W. Pontius</i> | 90:9:16 |
| USEPA Operator Certification Guidelines to Address Key Issues | |
| <i>Frederick W. Pontius</i> | 90:10:18 |
| Complying With USEPA's Consumer Confidence Report Rule | |
| <i>Frederick W. Pontius</i> | 90:11:20 |
| ICR Treatment Studies | |
| <i>Steven C. Allgeier, Hiba M. Shukairy, and James J. Westrick</i> | 90:11:70 |
| Defining "Public Water Systems" | |
| <i>Frederick W. Pontius</i> | 90:12:22 |

Residuals

| | |
|---|----------|
| Dewaterability of Alum and Ferric Coagulation Sludges | |
| <i>Phillip L. Thompson and Wayne L. Paulson</i> | 90:4:164 |

Risk

| | |
|---|---------|
| How Safe Is Safe? | |
| <i>Roundtable</i> | 90:3:20 |
| Complying With Risk Management and Process Safety Rules | |
| <i>Frederick W. Pontius</i> | 90:6:18 |
| (See also: Erratum) | 90:7:4) |
| Risk Management Planning | |
| <i>Roundtable</i> | 90:8:24 |

Roundtable

| | |
|--|----------|
| Consumer Confidence Reports: Challenge and Opportunity | |
| <i>Roundtable</i> | 90:1:30 |
| How Safe Is Safe? | |
| <i>Roundtable</i> | 90:3:20 |
| Energy Deregulation | |
| <i>Roundtable</i> | 90:4:26 |
| Risk Management Planning | |
| <i>Roundtable</i> | 90:8:24 |
| Operator Certification Is Coming of Age | |
| <i>Roundtable</i> | 90:10:28 |

Small systems

| | |
|--|---------|
| State Activities Pay Off | |
| <i>Ellen G. Miller</i> | 90:1:12 |
| Georgia's Peer Review Program | |
| <i>Gene Camp</i> | 90:2:10 |
| UV Disinfection of Small Groundwater Supplies | |
| <i>Marc J. Parrotta and Faysal Bekdash</i> | 90:2:71 |
| Regulatory Update for Small Systems | |
| <i>Scott G. Curry</i> | 90:3:12 |
| Small Systems to Tackle Disinfection By-products | |
| <i>Frederick W. Pontius</i> | 90:4:14 |

| | |
|--|----------|
| Greater Funding Opportunities for Small Systems | |
| <i>James Bourne</i> | 90:5:16 |
| Building a Winning Team | |
| <i>David R. Siburg</i> | 90:6:12 |
| Conducting an Effective Meter Replacement Program | |
| <i>Kevin Olson</i> | 90:7:10 |
| Taking the Mystery Out of O&M | |
| <i>Gerald M. Gilnack</i> | 90:8:10 |
| Small System Maintenance Management Using GIS | |
| <i>Martin W. Kaufman and Matthew Wurtz</i> | 90:8:70 |
| M/DBP Rules: Their Effect on Small Systems | |
| <i>Dallas Post</i> | 90:9:12 |
| Are Operators the Only Ones Who Should Be Certified? | |
| <i>Gerald M. Gilnack</i> | 90:10:12 |
| Ultrafiltration Fits Between a Rock and a Hard Place | |
| <i>Philip F. Boyd</i> | 90:11:10 |
| CCR: Help for Small Systems | |
| <i>Jamie Knotts</i> | 90:12:12 |

Spreadsheets

| | |
|---|---------|
| Spreadsheet Water Conditioning | |
| <i>R. Rhodes Trussell</i> | 90:6:70 |
| Computing SI and CCPP Using Spreadsheet Programs | |
| <i>Thomas R. Holm and Michael R. Schock</i> | 90:7:80 |

Technical notes

| | |
|---|----------|
| Technical Note: Adsorption Capacity of GAC for Synthetic Organics | |
| <i>Thomas F. Speth and Richard J. Miltner</i> | 90:4:171 |

Turbidity

| | |
|---|---------|
| Practical Applications of Turbidity Monitoring | |
| <i>Gary A. Burlingame, Michael J. Pickel, and Joseph T. Roman</i> | 90:8:57 |

UV disinfection

| | |
|---|----------|
| UV Disinfection of Small Groundwater Supplies | |
| <i>Marc J. Parrotta and Faysal Bekdash</i> | 90:2:71 |
| UV Light Inactivation of Cryptosporidium Oocysts | |
| <i>Jennifer L. Clancy, Thomas M. Hargy, Marilyn M. Marshall, and John E. Dyksen</i> | 90:9:92 |
| Advanced UV Light for Inactivating Cryptosporidium Oocysts | |
| <i>John E. Dyksen, Marilyn M. Marshall, Arun Gera, and Jennifer L. Clancy</i> | 90:9:103 |

Viewpoint

| | |
|---|--------|
| Viewpoint: Seroepidemiology—The Key to Crypto Surveillance | |
| <i>Jeffrey K. Griffiths and Robert D. Morris</i> | 90:3:8 |
| Viewpoint: A Balanced View of Chlorine Dioxide | |
| <i>Don J. Gates</i> | 90:4:8 |
| Viewpoint: What Is Good Science? | |
| <i>Alan Roberson</i> | 90:5:8 |
| Viewpoint: The Spanish Armada—A Different View | |
| <i>Cynthia C. Dougherty</i> | 90:6:8 |
| Viewpoint: Optimizing Operations to Reduce Waterborne Disease | |
| <i>Stephen A. Hubbs</i> | 90:9:8 |

Water use

| | |
|--|----------|
| Evaporative Cooler Water Use in Phoenix | |
| <i>Martin M. Karpiscak, Thomas M. Babcock, Glenn W. France, Jeffrey Zauderer, Susan B. Hopf, and Kenneth E. Foster</i> | 90:4:121 |

Waterborne disease

| | |
|---|----------|
| Viewpoint: Optimizing Operations to Reduce Waterborne Disease | |
| <i>Stephen A. Hubbs</i> | 90:9:8 |
| Effect of Rainfall on Crypto and Giardia | |
| <i>Thomas B. Atherholt, Mark W. LeChevallier, William D. Norton, and Jeffrey S. Rosen</i> | 90:9:66 |
| Waterborne Outbreaks of Cryptosporidiosis | |
| <i>Gunther F. Craun, Stephen A. Hubbs, Floyd Frost, Rebecca Calderon, and Steve Via</i> | 90:9:81 |
| UV Light Inactivation of Cryptosporidium Oocysts | |
| <i>Jennifer L. Clancy, Thomas M. Hargy, Marilyn M. Marshall, and John E. Dyksen</i> | 90:9:92 |
| Advanced UV Light for Inactivating Cryptosporidium Oocysts | |
| <i>John E. Dyksen, Marilyn M. Marshall, Arun Gera, and Jennifer L. Clancy</i> | 90:9:103 |
| Legionella in Water Distribution Systems | |
| <i>Yu-sen E. Lin, Radisav D. Vidic, Janet E. Stout, and Victor L. Yu</i> | 90:9:112 |
| Controlling Legionella Using Copper-Silver Ionization | |
| <i>Stanley States, John Kuchta, William Young, Louis Conley, John Ge, Michael Costello, John Dowling, and Robert Wadowsky</i> | 90:9:122 |

Waterscape

| | |
|-------------------------------|---------|
| The Good Old Days | |
| <i>Jack W. Hoffbuhr</i> | 90:1:8 |
| Are You Warm Enough? | |
| <i>Jack W. Hoffbuhr</i> | 90:2:6 |
| An Armada of Regulations | |
| <i>Jack W. Hoffbuhr</i> | 90:3:6 |
| (See also: Viewpoint | 90:6:8) |
| Divining Trends | |
| <i>Jack W. Hoffbuhr</i> | 90:4:6 |
| Racing the Dinosaur | |
| <i>Jack W. Hoffbuhr</i> | 90:5:6 |
| From Mouse to Man | |
| <i>Jack W. Hoffbuhr</i> | 90:6:6 |
| The Coming Crisis | |
| <i>Jack W. Hoffbuhr</i> | 90:7:6 |
| Mentors | |
| <i>Jack W. Hoffbuhr</i> | 90:8:6 |
| Y2K | |
| <i>Jack W. Hoffbuhr</i> | 90:9:6 |
| Out of Sight, Out of Mind | |
| <i>Jack W. Hoffbuhr</i> | 90:10:6 |
| Water's Fer Fightin' | |
| <i>Jack W. Hoffbuhr</i> | 90:11:6 |
| Lessons From Down Under | |
| <i>Jack W. Hoffbuhr</i> | 90:12:6 |

Wells

| | |
|---|---------|
| Agricultural Chemicals: Effects on Wells | |
| During Floods | |
| <i>Chittaranjan Ray, T.W. David Soong, George S. Roadcap, and Deva K. Borah</i> | 90:7:90 |

Y2K

| | |
|--------------------------------------|---------|
| Y2K | |
| <i>Jack W. Hoffbuhr</i> | 90:9:6 |
| Safe Drinking Water January 1, 2000? | |
| <i>Frederick W. Pontius</i> | 90:9:16 |

- Adams, Daniel J.90:4:116
 Adham, Samer S.90:9:130
 Ahmad, Rasheed90:12:62, 90:12:74
 Al-Shawwa, A.90:12:62
 Allgeier, Steven C.90:11:70
 Amirtharajah, A.90:12:62, 90:12:74
 Amy, Gary90:2:82, 90:12:42
 Antweiler, Ronald C.90:3:103
 Arora, Harish90:2:40
 Ash, Leah90:6:47
 Atherholt, Thomas B.90:9:66
 Auckly, Chet90:10:67
 Babcock, Thomas M.90:4:121
 Bangert, Charles E. Jr.90:6:63
 Baron, John M.90:1:44
 Barrett, Joy M.90:10:76
 Baumann, Frank J.90:6:82
 Beaudet, Jean-François90:12:53
 Beecher, Janice A.90:2:60, 90:5:51, 90:5:60, 90:5:68
 Bekdash, Faysal90:2:71
 Bell, Graham E.C.90:7:40
 Benedict, Scott90:10:67
 Benjamin, Mark M.90:5:90, 90:8:88
 Beuhler, Mark D.90:4:139
 Bienlien, Kent D.90:2:52, 90:4:116
 Bishop, Bojinka90:1:49
 Blankenship, Linda90:6:57
 Blette, Veronica90:5:34
 Booth, Susan K.90:8:40
 Borah, Deva K.90:7:90
 Boulos, Paul F.90:8:77
 Bourne, James90:5:16, 90:5:34
 Bouwer, Edward J.90:1:71
 Boyd, Philip F.90:11:10
 Britton, Gabriel90:10:107
 Burlingame, Gary A.90:7:53, 90:8:57
 Burns, Larry D.90:2:52
 Calderon, Rebecca L.90:9:81
 Callahan, Michael90:3:58
 Camp, Gene90:2:10
 Carlson, Kenneth H.90:12:42
 Carlson, Mark90:2:95
 Chadik, Paul A.90:10:107
 Chang, Yu-Jung90:5:90
 Chellam, Shankararaman90:11:96
 Chen, Hsiao-wen90:3:103
 Chen, Wei Jie90:4:151
 Chesnutt, Thomas W.90:2:60
 Childress, Amy E.90:4:139
 Choo, Kwang-Ho90:5:90
 Chowdhury, Zaid K.90:3:89
 Cicek, Nazim90:11:105
 Clancy, Jennifer L.90:9:92, 90:9:103
 Clark, Mark M.90:11:83
 Clark, Neil90:1:64
 Clement, Jonathan A.90:3:74
 Coallier, Josée90:1:86, 90:12:53
 Conley, Louis90:9:122
 Costello, Michael90:9:122
 Craun, Gunther F.90:9:81
 Cunningham, Brian S.90:4:116
 Curry, Scott G.90:3:12
 Dell'Orco, Michael J.90:10:107
 Delvecchio, Fred90:10:56
 Desjardins, Raymond90:1:86
 Dhaliwal, Joginder S.90:6:82
 Dhoot, Jagder S.90:6:82
 Dougherty, Cynthia C.90:6:8
 Dowling, John90:9:122
 Draper, William M.90:6:82
 Duranceau, Steven J.90:7:40
 Durrant, John E.90:7:53
 Dyksen, John E.90:9:92, 90:9:103
 Eaton, Andrew D.90:3:103
 Eckert, James O. Jr.90:3:62
 Edwards, Marc A.90:3:89, 90:3:103, 90:7:62
 Eggers, John L.90:6:63
 Elarde, Joseph R.90:1:98
 Elford, Tom90:12:32
 Elimelech, Menachem90:4:139
 Faulkner-Vaughn, Linda90:1:55
 Flowers, John E.90:5:60
 Foster, Kenneth E.90:4:121
 France, Glenn W.90:4:121
 Franco, Juan P.90:11:105
 Frey, Michelle90:3:89, 90:3:103
 Frost, Floyd90:9:81
 Furuya, Yuji90:10:96
 Gagliardo, Paul F.90:9:130
 Garaña Eduardo90:8:40
 Gates, Don J.90:4:8
 Ge, John90:9:122
 Gera, Arun90:9:103
 Gillogly, Thomas E.T.90:1:98, 90:2:107
 Gilnack, Gerald M.90:8:10, 90:10:12
 Goodwill, John90:10:67
 Griffiths, Jeffrey K.90:3:8
 Guo, Qizhong90:3:62
 Hagar, C.B.90:8:40
 Hancock, Carrie M.90:3:58
 Hannoun, Imad A.90:8:77
 Hardy, Douglas90:2:95
 Hargesheimer, Erika E.90:12:32
 Hargy, Thomas M.90:9:92
 Haskins, Scott90:6:34
 Hoffbuhr, Jack W.90:1:8, 90:2:6, 90:3:6, 90:4:6,
 90:5:6, 90:6:6, 90:7:6, 90:8:6,
 90:9:6, 90:10:6, 90:11:6, 90:12:6
 Holm, Thomas R.90:7:80
 Holthouse, Andrea90:2:107

| | | | |
|--------------------------------|--|---------------------------------|-------------------|
| Hopf, Susan B. | 90:4:121 | Prévost, Michèle | 90:1:86, 90:12:53 |
| Hozalski, Raymond M. | 90:1:71 | Rahman, Jameel | 90:7:53 |
| Hubbs, Stephen A. | 90:9:8, 90:9:81 | Raucher, Robert S. | 90:3:89 |
| Huck, Peter M. | 90:12:62 | Ray, Chittaranjan | 90:7:90 |
| Jack, Anne M. | 90:11:83 | Raymond, Will | 90:10:67 |
| Jacobs, Sara | 90:7:62 | Reckhow, David A. | 90:4:131 |
| James, Wesley P. | 90:7:74 | Reiber, Steve | 90:5:90, 90:7:62 |
| Jones, Ralph T. | 90:5:51 | Reiter, Paul D. | 90:6:34 |
| Jordan, Charles G. | 90:1:40 | Remoy, John W. | 90:6:82 |
| Kamei, Tasuku | 90:10:96 | Rettie, Melanie J. | 90:6:47 |
| Karanfil, Tanju | 90:5:76 | Roadcap, George S. | 90:7:90 |
| Karpiscak, Martin M. | 90:4:121 | Roberson, Alan | 90:5:8 |
| Kaufman, Martin W. | 90:8:70 | Roman, Joseph T. | 90:8:57 |
| Kawakita, Kazunori | 90:11:60 | Rose, Joan B. | 90:3:58 |
| Kelly, Elizabeth S. | 90:6:34 | Rosen, Jeffrey S. | 90:9:66 |
| Kerri, Kenneth D. | 90:10:82 | Royal, Earl P. | 90:1:98, 90:2:107 |
| Kilduff, James E. | 90:5:76 | Schiff, Melvin J. | 90:7:40 |
| Kline, Ian P. | 90:5:51 | Schock, Michael R. | 90:3:74, 90:7:80 |
| Knotts, Jamie | 90:12:12 | Selby, Douglas | 90:10:88 |
| Korshin, Gregory V. | 90:8:88 | Serra, Christophe A. | 90:11:96 |
| Kuchta, John | 90:9:122 | Servais, Pierre | 90:12:53 |
| Lafrance, Pierre | 90:1:86, 90:12:53 | Shanaghan, Peter E. | 90:5:51, 90:5:68 |
| LeChevallier, Mark W. | 90:2:40, 90:9:66 | Shukairy, Hiba M. | 90:11:70 |
| Leland, Dave | 90:5:40 | Siburg, David R. | 90:6:12 |
| Li, Chi-Wang | 90:8:88 | Snoeyink, Vernon L. | 90:1:98, 90:2:107 |
| Lin, Yu-sen E. | 90:9:112 | Song, Rengao | 90:2:82 |
| Liner, Barry | 90:6:57 | Soong, T.W. David | 90:7:90 |
| List, E. John | 90:8:77 | Spencer, Catherine M. | 90:3:74 |
| Luitweiler, W. J. Preston | 90:3:51 | Speth, Thomas F. | 90:4:171 |
| Lytle, Darren A. | 90:3:74 | Springborg, Denise C. | 90:4:131 |
| Macleane, Robert G. | 90:1:86 | States, Stanley | 90:9:122 |
| Marshall, Marilyn M. | 90:9:92, 90:9:103 | Stout, Janet E. | 90:9:112 |
| Matsui, Yoshihiko | 90:10:96 | Suidan, Makram T. | 90:11:105 |
| Matzke, Charles S. | 90:5:60 | Tanaka, Theodore S. | 90:4:139 |
| McNeill, Laurie | 90:3:103 | Tate, Carol | 90:10:88 |
| Mielke, J. Laurie | 90:12:32 | Taylor, Howard E. | 90:3:103 |
| Miller, Ellen G. | 90:1:12 | Thibault, Daniel | 90:1:86 |
| Miltner, Richard J. | 90:4:171 | Thompson Phillip L. | 90:4:164 |
| Minear, Roger | 90:2:82 | Toomuluri, Parvati J. | 90:3:62 |
| Mirvis, Kenneth W. | 90:1:64 | Torobin, Marcia | 90:3:51 |
| Morris, Robert D. | 90:3:8 | Trussell, R. Rhodes | 90:6:70, 90:9:130 |
| Najm, Issam | 90:10:88 | Trussell, R. Shane | 90:9:130 |
| Navera, Edgar | 90:7:53 | Urbain, Vincent | 90:11:105 |
| Neumann, R.P. | 90:10:107 | van der Linden, Matthew J. | 90:8:50 |
| Niquette, Patrick | 90:1:86, 90:12:53 | Via, Steve | 90:9:81 |
| Norton, Russell | 90:10:67 | Vidic, Radisav D. | 90:9:112 |
| Norton, William D. | 90:9:66 | Vrijenhoek, Eric M. | 90:4:139 |
| Olson, Kevin | 90:7:10 | Wadowsky, Robert | 90:9:122 |
| Olstein, Myron | 90:6:57 | Weber, Walter J. Jr. | 90:5:76 |
| Owen, Douglas M. | 90:3:89 | Westerhoff, Paul | 90:2:82 |
| Parrotta, Marc J. | 90:2:71 | Westrick, James J. | 90:11:70 |
| Patel, Sapna | 90:3:103 | Wiesel, Clifford P. | 90:4:151 |
| Paulson, Wayne L. | 90:4:164 | Wiesner, Mark R. | 90:11:96 |
| Pedersen, Dan | 90:3:51 | Wilson, Claude M. | 90:1:98, 90:2:107 |
| Perera, S. Kusum | 90:6:82 | Wise, Doug | 90:5:40 |
| Pickel, Michael J. | 90:8:57 | Wurtz, Matthew | 90:8:70 |
| Pontius, Frederick W. | 90:1:20, 90:2:20, 90:3:17, 90:3:38, 90:4:14, 90:4:20, 90:5:23, 90:6:18, 90:7:18, 90:8:18, 90:9:16, 90:10:18, 90:11:20, 90:12:22 | Xie, Yuefeng | 90:4:131 |
| Pontius, Nancy L. | 90:4:20 | Yee, Phillip | 90:12:32 |
| Post, Dallas | 90:9:12 | Young, William | 90:9:122 |
| | | Yu, Victor L. | 90:9:112 |
| | | Yuasa, Akira | 90:10:96 |
| | | Zauderer, Jeffrey | 90:4:121 |

